

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
675 29025	SHINNECOCK LIGHT	40 50 31 N 72 28 42 W	Fl (2) W 15s 1s fl 2s ec. 1s fl 11s ec.	75	11	Red skeleton tower.	HORN: 1 blast ev 15s (2s bl).
			*		*		* 44/04
13174	<i>James Longstreet Isolated Danger Lighted Buoy DJ</i> Marks naval aircraft bombing target.	41 49 48 N 70 02 42 W	Fl (2) W 5s			Black and red with two black spherical topmarks.	Replaced by can from Oct. 15 to Apr. 15.
							* 44/04
SHINNECOCK BAY TO EAST ROCKAWAY INLET (Chart 12352)							
Shinnecock Inlet							
29025 675	SHINNECOCK LIGHT	40 50 30 N 72 28 42 W	Fl (2) W 15s 1s fl 2s ec. 1s fl 11s ec.	75	11	Red skeleton tower.	HORN: 1 blast ev 15s (2s bl).
			*		*		* 44/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1205	Harrah's Marina Buoy B						<i>Remove from list.</i>
							* 44/04
1210	Harrah's Marina Buoy C						<i>Remove from list.</i>
							* 44/04
2716	SALEM CANAL WEST LIGHT A						<i>Remove from list.</i>
							* 44/04
4630	Indian River Bay Shellfish Exclusion Buoy						<i>Remove from list.</i>
							* 44/04
4635	Indian River Bay Shellfish Exclusion Buoy						<i>Remove from list.</i>
							* 44/04
4640	Indian River Bay Shellfish Exclusion Buoy						<i>Remove from list.</i>
							* 44/04
7195	- Calibration Buoy						<i>Remove from list.</i>
							* 44/04
7245 21435	OLD PLANTATION FLATS LIGHT						<i>Remove from list.</i>
							* 44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7535	USN AERIAL GUNNERY AREA LIGHT A						Remove from list. * 44/04
8775	Abbey Point Obstruction Buoy						Remove from list. * 44/04
9395	- LIGHT B						Remove from list. * 44/04
9400	- WARNING LIGHT		FI W 4s	15	5	NW on pile worded DANGER OBSTRUCTION.	
	*		*			*	44/04
9490	Naval Base Daybeacon 3						Remove from list. * 44/04
9553	- North Channel Daybeacon 7						Remove from list. * 44/04
10350	- Daybeacon 4						Remove from list. * 44/04
10655	- LIGHT 10						Remove from list. * 44/04
12119.5	- Daybeacon 2S						Remove from list. * 44/04
12122	JAMESTOWN FESTIVAL PARK LIGHT						Remove from list. * 44/04
13110	Langley Yacht Club Buoy A						Remove from list. * 44/04
13115	Langley Yacht Club Buoy B						Remove from list. * 44/04
	*Delete Heading: *Southern Branch						
15003	- Daybeacon 2S						Remove from list. * 44/04
15003.1	- Daybeacon 4						Remove from list. * 44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15003.2	- Daybeacon 6						Remove from list.
							* 44/04
15003.3	- Daybeacon 8						Remove from list.
							* 44/04
15003.4	- Daybeacon 9						Remove from list.
							* 44/04
16625	- Daybeacon 19						Remove from list.
							* 44/04
	Smith Creek						
16640	- APPROACH LIGHT 2S	38 05 31 N 76 24 16 W	Q R	15	5	TR on pile.	
		*	*			*	44/04
16912	Maryland Historical Trust Diving Preserve Mooring Buoy						Remove from list.
							* 44/04
18120	STUMP NECK PIER LIGHT						Remove from list.
							* 44/04
18750	Underwater Storage Sewer Marker Buoys (2)						Remove from list.
							* 44/04
19380	- Entrance Daybeacon 6						Remove from list.
							* 44/04
19781	CLASS OF 43 LIGHT						Remove from list.
							* 44/04
20230	Spriggs Pond Warning Daybeacon A						Remove from list.
							* 44/04
20305	- Royal Beach Association Buoy 2						Remove from list.
							* 44/04
20365	Patapsco River ½ Measured Mile Marker Buoy B						Remove from list.
							* 44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading and Note: *Marine Pier Channel <i>*Channel buoys located 15 - 50 feet outside channel limit.</i>							
20635	- RANGE FRONT LIGHT						Remove from list. * 44/04
20640	- RANGE REAR LIGHT 800 yards, 038° from front light.						Remove from list. * 44/04
*Add Heading: *Marine Pier Channel							
*20641	- Buoy 1	39 12 32 N 76 30 59 W				Green can.	44/04
20973	CURTIS BAY COMPANY TERMINAL DOCK LIGHT						Remove from list. * 44/04
21435 7245	OLD PLANTATION FLATS LIGHT	37 13 44 N 76 02 49 W	FI W 4s	39	8	NB on pile.	Higher intensity beam toward 200°. 44/04
	*						
21902	- Channel Daybeacon 12A						Remove from list. * 44/04
22810	State Boundary Line Daybeacon G						Remove from list. * 44/04
24895	- Buoy J						Remove from list. * 44/04
25600	- Daybeacon 6						Remove from list. * 44/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
PONCE DE LEON INLET TO CAPE CANAVERAL (Chart 11484)							
610	Ponce De Leon Inlet Light	29 04 48 N 80 55 42 W	FI (6) W 30s	159	22	Red brick conical tower.	Private aid. * 44/04
6185.5	- Lighted Buoy 20A		FI R 2.5s		3	Red.	44/04
	*						

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6185.7	- Lighted Buoy 21		Q G		3	Green.	
	*						44/04
12627.9	- Daybeacon 10						Remove from list.
							*
							44/04
18120	- LIGHT 7		FI G 4s	16	3	SG on pile.	
						*	44/04
25020	- LIGHT 2	27 46 18 N 82 37 30 W	FI R 4s	10	5	TR on pile on small white house.	Higher intensity beam downstream.
				*			44/04
*36452	- Southwest Obstruction Daybeacon					NW on pile worded: DANGER SUBMERGED REEF.	
							44/04
50700.5	- Buoy 6A	27 09 54 N 80 11 23 W				Red nun with yellow triangle.	
		*					44/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*262	POGO-MP-61-D RACON			40		On Pogo Platform	BAND: S, X. SIGN: POGO-MP-61-D RACON: X (---) Private aid.
							44/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*381	<i>Scripps Lighted Research Buoy Station 029</i>	37 56 45 N 123 28 12 W	FI (5) Y 20s			Yellow sphere with whip antenna.	Private aid.
							44/04
435	Little River Bell Buoy LR	39 15 57 N 123 48 44 W				Red and white stripes with red spherical topmark.	
		*					44/04
440	Mendocino Bay Whistle Buoy MB	39 17 52 N 123 48 44 W				Red and white stripes with red spherical topmark.	
		*					44/04
445	<i>NOAA Environmental Lighted Buoy EB 46014</i>	39 12 35 N 123 58 10 W	FI (4) Y 20s			Yellow disc-shaped buoy.	
		*					44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
465	<i>Point Delgada Lighted Whistle Buoy 20</i>	40 00 15 N 124 04 52 W	FI R 6s		4	Red.	
		*					44/04
470	Shelter Cove Entrance Bell Buoy 1	40 00 34 N 124 03 35 W				Green.	
		*					44/04
475	<i>Punta Gorda Lighted Whistle Buoy 24</i>	40 14 54 N 124 22 14 W	FI R 6s		4	Red.	
		*					44/04
485	<i>Blunts Reef Lighted Bell Buoy 2B (ELB)</i>	40 26 24 N 124 30 19 W	FI R 2.5s		5	Red.	
		*					44/04
500	<i>NOAA Environmental Lighted Buoy 46022</i>	40 42 45 N 124 31 08 W	FI (4) Y 20s		6	Yellow disk-shaped buoy.	
		*					44/04
515	Pilot Rock Gong Buoy 2	41 02 38 N 124 09 21 W				Red.	
		*					44/04
530	<i>Trinidad Head Lighted Whistle Buoy 26</i>	41 03 03 N 124 10 24 W	FI R 6s		4	Red.	
		*					44/04
535	Turtle Rocks Bell Buoy 28	41 08 14 N 124 11 49 W				Red.	
		*					44/04
1505	- Entrance Range Rear Light 506 yards, 353° from front light.		Iso G 6s	55	15	KRW on skeleton tower.	Visible 1.5° each side of rangeline.
	*						44/04
	*Delete Heading: *SANTA CRUZ ISLAND TO PURISMA POINT (Chart 18721)						
3805	Cojo Anchorage Special Purpose Buoy						Remove from list.
							*
							44/04
	*Change Headings to Read: *SANTA CRUZ ISLAND TO PURISMA POINT (Chart 18721) *Gaviota Tanker Mooring						
3810.1	- Buoy A	34 27 48 N 120 12 18 W				White with blue band.	Private aid.
							44/04
5790	MOLATE POINT WHARF SOUTH END LIGHT						Remove from list.
							*
							44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5791	Scripps Lighted Research Buoy Station 029						Remove from list.
							* 44/04
5795	MOLATE POINT WHARF NORTH END LIGHT						Remove from list.
							* 44/04
8115	- LIGHT 9	39 25 40 N 123 48 20 W	Fl G 2.5s	15	3	SG on post.	
						*	44/04
22478	- Daybeacon 2	56 06 45 N 133 04 06 W				TR on pile.	
		*					44/04
22625	Cemetery Point Lighted Marker Buoys (4)	56 27 27 N 132 23 06 W	Fl Y 6s			White spheres.	Private aids.
		*					44/04
23735	- Buoys (about 16) Marks sides of channel from Salmon Creek to Daybeacon 14.						Remove from list.
							* 44/04
*Add Notes:							
*Buoys maintained from Apr. 01 to Oct. 15							
*Positioned to mark best passage. Route requires local knowledge, extreme caution due to shifting shoals.							
*23735.1	- Buoy 9					Green can.	
							44/04
*23735.2	- Buoy 8A					Red nun.	
							44/04
*23735.3	- Buoy 9A					Green can.	
							44/04
*23735.4	- Buoy 8B					Red nun.	
							44/04
*23735.5	- Buoy 9B					Green can.	
							44/04
*23735.6	- Buoy 10					Red nun.	
							44/04
*23735.7	- Buoy 11					Green can.	
							44/04
*23735.8	- Buoy 10A					Red nun.	
							44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*23735.9	- Buoy 11A					Green can.	44/04
*23735.11	- Buoy 10B					Red nun.	44/04
*23735.12	- Buoy 11B					Green can.	44/04
*23735.13	- Buoy 12					Red nun.	44/04
*23735.14	- Buoy 13					Green can.	44/04
*23735.15	- Buoy 12A					Green can.	44/04
*23735.16	- Buoy 13A					Red nun.	44/04
24160	PORT FREDERICK LIGHT 3	58 07 57 N 135 27 55 W	FI G 6s	26	4	SG on skeleton tower.	Obscured from 245° to 357°. Higher intensity beam toward 042°.
		*					44/04
24180	ICY PASSAGE LIGHT 2	58 23 11 N 135 37 43 W	FI R 6s	22	4	TR on skeleton tower.	
		*					44/04
24391	HYDABURG LIGHT 8	55 12 24 N 132 49 04 W	FI R 4s	15	3	TR on pile.	
					*		44/04
24777	North Island Daybeacon	55 57 58 N 133 19 27 W				NR on spindle.	
		*					44/04
Alidale Channel							
24960	TURNING ISLAND LIGHT 11	57 02 36 N 135 20 11 W	FI G 2.5s	16	4	SG on skeleton tower.	Obscured sector from 062° to 153°.
		*					44/04
*Add Notes:							
<i>*Buoys maintained from May 01 to Oct. 01.</i>							
<i>*Positioned to mark best passage. Route requires local knowledge, extreme caution due to shifting shoals.</i>							
*25615.1	- South Channel Buoy 2					Red nun.	44/04
*25615.2	- South Channel Buoy 1A					Green can.	44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*25615.3	- South Channel Buoy 2A					Red nun.	44/04
*25615.4	- South Channel Buoy 3					Green can.	44/04
*25615.5	- South Channel Buoy 4					Red nun.	44/04
*25615.6	- South Channel Buoy 5					Green can.	44/04
*25615.7	- South Channel Buoy 6					Red nun.	44/04
*25615.8	- South Channel Buoy 7					Green can.	44/04
*25615.9	- South Channel Buoy 8					Red nun.	44/04
*25615.11	- South Channel Buoy 9					Green can.	44/04
*25615.12	- South Channel Buoy 10					Red nun.	44/04
*25615.13	- South Channel Buoy 11					Green can.	44/04
*25615.14	- South Channel Buoy 12					Red nun.	44/04
*25615.15	- South Channel Buoy 13					Green can.	44/04
*25615.16	- South Channel Buoy 14					Red nun.	44/04
*25615.17	- South Channel Buoy 16					Green can.	44/04
*25615.18	- South Channel Buoy 18					Red nun.	44/04
25647	NOAA Data Lighted Buoy 46081	60 47 20 N 148 16 28 W	Fl (4) Y 20s			Yellow disc-shaped hull.	
		*					44/04
30460	Kwajalein-Bigel Junction Light N	08 44 19 N 167 43 45 E	Fl (2+1) G 6s	12	4	Green and red bands.	
			*			*	44/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.